

Standard Inclusions

- ✓ Working Drawings
- √ 6 star First Rate Energy Rating
- ✓ Engineering Concrete Slab & Footings
- √ Soil Test 2 bore holes to allotment
- ✓ Building Permit
- ✓ Vehicle Crossing Permit
- ✓ Home Owners Warranty Insurance
- ✓ Site Bins
- ✓ Site Fencing

√ Floor

Concrete class 'M' raft slab on ground with founding depth of .200mm as per soil test

Mass Pad footings - Porch & Alfresco

Vapor barrier over 50mm compacted bedding sand SL72 reo sheets – Top

3 L12TM - External Beams

Mass pad footings to Porch & Alfresco pier footings

✓ Services & Connections

Storm water connection to legal point of discharge Sewer connection to legal point of discharge Single phase underground power supply

Phone line (underground) connection from Telstra Pit to home

✓ Frame & Trusses

*All Timber framing chemically treated to prevent future Termite attack.

**25 Year chemical breakdown guarantee Wall Frames

Top Plates - 2/90 x 35 MGP10 LOSP

Bottom Plates – 90 x 45 MGP10 LOSP

Studs - 90 x 35 MGP10 LOSP

Noggins - 90 x 35 MGP10 LOSP

Bracing - N2 Wind rating

Provision for accessory noggins i.e. towel rails, wall mounted TV etc.

Trusses

Pre - Fabricated Roof Trusses – Chemically Treated - T2

✓ Roof Cladding

Color bond corrugated Custom Orb roof

Color bond Quad slotted spouting

Color bond roll top ridge capping

Down pipes- Color bond 100 x 50

*Option-Tiled roof option applies to all designs

throughout the entire range of plans. Roof tiles selected from McMahon Builders Boral standard range

Fascia

Color bond Fascia

✓ External Wall – Cladding

Face Brick – Boral - Selection of 26 bricks as selected from McMahon Builders range

Mortar Color - Natural color - Grey

✓ Window Infills

Brick in fills above all windows and Entry door to Front Elevation

Fibre cement sheet window infills to balance of home

✓ Windows

Aluminium powder coated single glazed windows from standard color range

White Translucent glazing to Bathroom, Ensuite & WC Clear Glazing to balance of dwelling

External door jambs – aluminium powder coated/Timber i.e. Entry, Laundry &

Garage P.A door

Grey Toughened glazing Front Elevation

Aluminium framed fly screens to all windows

Aluminium fly screen doors to all external sliding doors *Fly screen material may vary/alterante pending final BAL rating (Bushfire Attack Rating)

✓ Window Infills

Brick in fills above all windows and Entry door to Front Elevation

Fibre cement sheet window infills to balance of home

Heating (optional add on cooling)

Central Heating Unit - designed to suit home installed to ceiling cavity

Vents fitted to ceilings - .300mm round

Ducting to Main Living areas, Master suite, Bedrooms Return Air vent – white

Thermosat fixed to wall

Cooling

Split System Unit

*Size of Split System Unit may vary pending size of Home i.e. 7.5Kw,5Kw or 3.5Kw

✓ Insulation

Ceiling - R 3.8 Batts

Walls - R 2.0 Batts

Floors – Class 'M' slab/Waffle Pod Slab on ground Sarking to underside of roof sheets – BAL - Low Sisalation wall wrap to entire home

Plaster

2.550 ceiling height

16mm metal ceiling battens fixed to underside of Truss/Rafters throughout dwelling

General – 10mm Boral plasterboard fixed to 16mm metal ceiling battens

External Ceilings – 10mm WR board i.e. Alfresco ceiling Tap Walls - WR Board to all tap walls throughout home i.e. Laundry & Kitchen

Wet Areas – 6.5mm Villa board i.e. Bathroom & Ensuite Internal Cornice - 75mm Cove cornice throughout home External – 42 x 42 treated pine primed beading in place of plaster cornice i.e. Alfresco & Entry

✓ Painting

Ceilings

1 coat sealer undercoat

2 coats flat acrylic (main living areas)

2 coats low sheen/satin (wet areas)

Walls

1 coat sealer

2 coats low sheen/ satin (acrylic)

2 coats to timberwork

External

2 coats to walls and ceilings

Render (if selected/applicable)

2 coats solar guard low sheen

**McMahon Builders P/\bar{L} choose & recommend the use of Dulux paint products for the painting of your new home

✓ Waterproofing works

Bathroom – Shower recess inc walls to 1.8m high Bathroom – Bath hob front, top and walls to .150 mm H Ensuite – Shower recess inc walls & neiche to 1.8m high **Certificate of waterproofing works issued to Home Owner (s) upon Final Handover/Completion

Architraves & Skirtings

Architraves

MDF 67 x 18 – painted gloss finish

Skirting

MDF 92 x 18 –painted gloss finish

Shelf supports

MDF 42 x 18 – painted finish

Wet Area skirting

 Tiled skirtings to all wet areas throughout your new home i.e. Ensuite, Bathroom, Laundry &

WC

✓ Doors – Internal & External

External

 Entry Door – Corinthian - 820 x 2040 Solid core timber glazed door

Internal

- General doors/Cavity Sliding doors Corinthian Flush Panel smooth finish 2.040H
- Sliding Door Units i.e. Robes & Linen Smart robe sliding door units 2.040 fitted with Corinthian Flush Panel smooth finish doors

✓ Door Furniture

External

 Entry - Lockwood Entrance sets to Entry, Laundry & Garage PA doors

Internal

- Hinged doors Lockwood Lever i.e. Saltbush series passage sets
- Sliding doors i.e. Robes Flush pulls
- Privacy adaptors to Ensuite, Bathroom & Toilet

*All Door Furniture including hinges within your new home to be of a Satin Chrome finish

✓ Garage Door

Front Elevation

 B & D Panelmasta Contemporary color bond panel lift door 2.250H x 5.0W

1 Auto opener motor fixed to Garage ceiling including 3 x remotes i.e. 1 wall mounted & 2 hand held

Rear Garage Door (if applicable/Selected)

B & D standard color bond roller door – manual open

√ Floor, Wall and Skirting Tiles

Ensuite

Walls - Ceramic tiles

- Shower recess to 2.100H
- Length of Vanity x .200mm H splash back including returns
- Feature tiles 6 L/M

Floors - Ceramic tiles

- As per Floor plan including tiled shower base to Ensuite
- .100mm H tiled skirtings

Bathroom

Walls - Ceramic tiles

- Shower recess to 2.100H
- Bath Hob .400 H to bath hob including returns
- Bath Hob front and top tiled
- Vanity splash back Length of Vanity x
 .200mmH including return

Floors – Ceramic tiles

- As per Floor plan
- .100mm H tiled skirtings

Kitchen

Walls - Ceramic tiles

 Tiled splash back to appliance wall – tiled .605H to underside of overhead joinery

Floors - Ceramic tiles

As per Floor Plan

Laundry

Walls - Ceramic tiles

- .605H to Laundry length of bench including 1 x return to underside of overhead joinery
- .100mm H tiled skirtings

Floors - Ceramic tiles

As per Floor plan

TV Antenna

Installation of new TV Antenna connected to TV points

Manhole

1 Man hole kit including cover

**Proposed location i.e. Garage/Laundry PA Door (ceiling)

Fittings, Fixtures & Joinery

Laundry

40 Litre inset bench stainless trough

Laundry Joinery - Laminated base unit with 33mm post formed 10/10 laminate top

Melamine board with PVC edging to doors/drawers Tap ware – Washing Machine Stops located above washing

Tap ware - Flick mixer to trough Machine

Bathroom

Decina - 1670mm acrylic bath-white

.900 x .900 poly marble shower base

Semi frameless shower screen with safety glass – 1.950H Vanity Unit - Laminate base unit with 33mm post formed laminate top

Blum soft closing hinges - lifetime warranty to all hinges

Brushed aluminium kick rails

Basin - china basin - white

Plugs – Option of standard or pop up plugs

Polished edge mirror - length of vanity x 1.0 H

Taps – Basin set, Shower set, Bath set

Towel rail – .900 double towel rail Toilet suite - china -white

Toilet roll holder

Ensuite

Shower base - tiled

Vanity Unit - Laminated base unit with 33mm post formed laminate top

Basin – china basin – white

Plugs - Option of standard or pop up plugs

Tap ware - mixers to basins

Semii frameless shower screen with safety glass - 1.950H

Polished edge mirror length of vanity x 1.0 H

Towel Rails - 2 x .600mm single rails

Toilet suite – china - white

Toilet roll holder

Kitchen

Joinery carcasses - 16mm white melamine base solid backed cupboards

Bench tops – 33mm post formed laminate bench tops Brushed aluminium kick rails

Cutlery Drawers including cutlery insert

2 banks of pot drawers

Blum soft closing hinges - lifetime warranty to all hinges Sink – 1 ¾ bowl stainless steel

Tap ware – Flick mixer to sink with optional vegie spray - chrome

Handles - standard range

Pantry - As per floor plan

✓ Shelving -16mm white melamine to all Units Walk in Robe

- 1 shelf @ 1.800H including chrome rod & fittings
- 2 banks of pigeon hole shelving evenly spaced
 @ .450mm

Robes to Bedrooms

- 1 shelf @ 1.800H including chrome rod & fittings
- 1 bank of pigeon hole shelving evenly spaced
 @ .450mm

Linen

4 shelves evenly spaced @ .450mm

Laundry/Broom

• 1 shelf @ 1.800H

Pantry

Built in Pantry including 5 shelves

√ Carpets – Optional

McMahon Builders can supply & install carpets to your new home if required

*Carpets from McMahon Builders P/L standard range including quality underlay

✓ Clothesline

Option of freestanding or fold out clothesline

✓ Electrical Standard Inclusions

*Also refer to individual electrical design for complete detailed list of Electrical Inclusions

General Electrical

Interna

LED Down lights throughout your new home Safety switches - RCD's & circuit breakers located in meter box

Smoke detectors – white fixed to ceiling, hard/direct wiring & battery backed

22 Way switches

Exhaust fans to Ensuite & Bathroom

Door Bell to Entry

Feature light fittings - 2 Pendant light fittings to Kitchen Island bench

TV Antenna – connected to all TV points throughout your new home including installation

External

3 External weatherproof double power points

*1 External allowed to Alfresco

3 External lights – bunker fitting fixed to wall Up Down lights to Front elevation

1 LED Double spotlight

Appliance Package - options of .600 or .900

Oven - stainless under bench electric Oven

Hot Plates –stainless gas hot plates

Range hood – stainless slide out range hood

Dishwasher - .600mm single drawer - stainless

/ Hot Water Unit

Rinnai INF instantaneous gas hot water unit – preset 50 degrees

✓ Pest Control Treatment

Frame Sure Red (LOSP)

Frame Sure Blue – T2

✓ Water Tank – 2100Lt Slimline

Water tank connected to toilet suites, 1 $\,\mathrm{x}$ garden tap to dwelling

Safety Guardrail – Fall Protection

Required for duration of all roofing works including installation of roof battens, TV Antenna, Vents and Flues Vehicle Crossing

McMahon Builders can arrange all permits, excavation & concreting works if required

General allowance – if selected to complete

1 Vehicle crossing

- 5.0 x 2.1
- Standard stipple finish to concrete
- Expansion joints to be cut upon curing of concrete

*Exact Vehicle crossing dimensions to be verified pending site inspection of your allotment

✓ External Concreting

McMahon Builders can arrange & complete all external concretina if required

General Allowance if selected to complete

Driveway as per site plans - 6.0W x 5.6D x .100mm

1.0W path from driveway to Entry

*Standard stipple finish to all external concreting to paths

**Expansion joints to be cut upon concrete curing

External Taps

4 Standard cast bronze external bib taps

*1 tap located @ water meter

Gas Supply

Gas Points

- Hot Water unit
- Hot Plates
- Central Heating

Comprehensive Insurance Policy including

Home Owners Warranty Insurance

Contractors All Risk Insurance

Public Liability Insurance

✓ Certificates

Certificate of Electrical Safety – Prescribed and Non-prescribed

Certificate of Compliance – General Plumbing

Certificate of Compliance – Roof Plumbing works

Certificate of Water proofing

Termite Protection Notice - Meter box

Termite Protection certificate

Site Clean upon Completion

Removal of all Builders waste from site upon completion of all works

√ Final Adjustment Works

Final adjustment/commissioning works to all doors, cavity sliders, smart robes, external doors, windows, joinery works, heating & cooling unit, HWS, basins, taps, shower heads, tank and associated pump, toilet suites & door furniture upon the completion of all works & prior to handover.

- √ 3 Month defect liability period
- √ 7 Year Structural Warranty Guarantee